

**Rating Letter - Intimation of Rating Action**

Letter Issued on : November 22, 2024

Letter Expires on : August 20, 2025

Annual Fee valid till : August 20, 2025

Scan this QR Code to  
verify authenticity of this  
rating



**VINOD TEXWORLD PRIVATE LIMITED**

OPP SHANTI PROCESS, 185 2,  
SAIJPUR GOPALPUR, PIPALAJ PIRANA ROAD,  
Ahmedabad 382405  
GUJARAT

**Kind Attn.: Mr. HARSH MITTAL,MANAGING DIRECTOR (Tel. No.9879751220)**

Sir / Madam,

**Sub.: Rating(s) Assigned - Bank Loans of VINOD TEXWORLD PRIVATE LIMITED**

Please note that the current rating(s) and outlook, instrument details, and latest rating action for the  
aforementioned instrument are as under:

Product	Quantum (Rs. Cr)	Long Term Rating	Short Term Rating
Bank Loan Ratings	63.25	ACUITE BBB-   Stable   Assigned	-
Bank Loan Ratings	1.00	-	ACUITE A3   Assigned
Total Outstanding Quantum (Rs. Cr)	64.25	-	-

5W Jf reserves the right to revise the rating(s) , along with the outlook, at any time, on the basis of new  
information, or other circumstances which 5W Jf believes may have an impact on the rating(s). Such  
revisions, if any, would be appropriately disseminated by 5W Jf as required under prevailing SEBI  
guidelines and 5W Jf policies.

This letter will expire on **August 20, 2025** or on the day when 5W Jf takes the next rating action, whichever  
is earlier. It may be noted that the rating(s) is subject to change anytime even before the expiry date of this  
letter. Hence lenders / investors are advised to visit <https://www.acuite.in/> OR scan the QR code given above  
to confirm the current outstanding rating(s).

5W Jf will re-issue this rating letter on **August 21, 2025** subject to receipt of surveillance fee as applicable.  
If the rating(s) is reviewed before **August 20, 2025**, 5W Jf will issue a new rating letter.

Please note that under extant SEBI regulations and as per the terms of the rating agreement, once a rating  
is accepted and outstanding, the issuer is required to promptly furnish the No Default Statement on the first  
working day of every month.

**Sd/-**  
**Chief Rating Officer**

**This is a system generated document. No signature is required.**

5bbYl i fYg. ....5"8YUJg'cZHY'F UHYX'bgfhi a Ybh

Annexure A. Details of the rated instrument				
Lender's Name	Facilities	Scale	Amt. (Rs. Cr)	Rating Assigned (Outlook)   Rating Action
Not Applicable	Proposed Long Term Bank Facility	Long-term	0.26	ACUITE BBB-   Stable   Assigned
State Bank of India	Term Loan	Long-term	2.86	ACUITE BBB-   Stable   Assigned
State Bank of India	Term Loan	Long-term	0.13	ACUITE BBB-   Stable   Assigned
State Bank of India	Term Loan	Long-term	6.52	ACUITE BBB-   Stable   Assigned
State Bank of India	Term Loan	Long-term	3.00	ACUITE BBB-   Stable   Assigned
State Bank of India	Term Loan	Long-term	4.35	ACUITE BBB-   Stable   Assigned
State Bank of India	Covid Emergency Line.	Long-term	1.13	ACUITE BBB-   Stable   Assigned
State Bank of India	Cash Credit	Long-term	45.00	ACUITE BBB-   Stable   Assigned
State Bank of India	Bank Guarantee (BLR)	Short-term	1.00	ACUITE A3   Assigned
Total Facilities			64.25	-

#### DISCLAIMER

An 5W Jf rating does not constitute an audit of the rated entity and should not be treated as a recommendation or opinion that is intended to substitute for a financial adviser's or investor's independent assessment of whether to buy, sell or hold any security. 5W Jf ratings are based on the data and information provided by the issuer and obtained from other reliable sources. Although reasonable care has been taken to ensure that the data and information is true, 5W Jf, in particular, makes no representation or k UffUbmzYI dfYggYX'cf'Ja d'jYX'k Jh FYgdYVhtc h Y UXYeI UMzUMVfUMhtcfVta d'YHYbYgg'cZh Y JbZfa UHcb FY'jYX'i dcb'''5W Jf is not responsible for any errors or omissions and especially states that it has no financial liability whatsoever for any direct, indirect or consequential loss of any kind arising from the use of its ratings. 5W Jf ratings are subject to a process of surveillance which may lead to a revision in ratings as and when the circumstances so warrant. Please visit our website ([www.acuite.in](http://www.acuite.in)) for the latest information on any instrument rated by 5W Jf, 5W Jf B rating scale and its definitions.

Any inadvertent omission or error in the rating letter which is discovered or brought to the notice of Acuite shall be rectified as soon as reasonably practicable not later than 48 hours of such discovery or notice. Such error or omission shall not render Acuite liable to any person for any kind of loss or damage including, but not limited to, any special, incidental, indirect or consequential damages caused by errors or omissions, provided such omission or error is rectified as soon as possible after discovery/notice.